



# CANADA MALTING CO. LTD

3316 Bonnybrook Rd SE, Calgary, AB T2G 4M9  
Phone: 403-571-7000 Fax: 403-571-7070  
[www.canadamalting.com](http://www.canadamalting.com)

## Safety Data Sheet

### Canada Malting Co. Limited – Grains and Malted Grains

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

##### Product Identifier

**Substance name:** Grains and Malted Grains

##### Intended Use of the Product

**Use of the substance/mixture:** Ingredient for brewing and distilling and food manufacturing.

##### Name, Address, and Telephone of the Responsible Party

##### Company

Canada Malting Co. Limited a division of United Malt Group  
3316 Bonnybrook Road SE  
Calgary, AB, Canada T2G 4M9  
Tel: 403-571-7000  
Web: [www.canadamalting.com](http://www.canadamalting.com)

<b>Manufacturer(s)</b> Canada Malting 3316 Bonnybrook Road SE Calgary, AB, Canada T2G 4M9	Canada Malting 579 Maureen Street Thunder Bay, ON, Canada P7B 5E8	Canada Malting 205 rue Riverside Montreal, PQ, Canada H3C 2H9
Canada Malting 36016 Highway 2A Red Deer County, AB, Canada T4G 0G8	Canada Malting General Delivery Lyalta, AB, Canada T0J 1Y0	Canada Malting Box 190 Bawlf, AB, Canada T0B 0J0
Canada Malting Box 518 Beiseker, AB, Canada T0M 0G0	Canada Malting Box 59, South Half 51322 Oak River, MB, Canada R0K 1T0	Canada Malting Box 1, 1 CNR Right of Way Leross, SK, Canada S0A 2C0
Canada Malting Box 119 Mariapolis, MB, Canada R0K 1K0	Canada Malting 507 1 <sup>st</sup> Avenue E Watrous, SK, Canada S0K 4T0	
<b>Emergency Telephone Number</b>	403-571-7000	

#### SECTION 2: HAZARDS IDENTIFICATION

##### Classification of the Substance or Mixture

##### GHS-US classification

Comb. Dust

##### Label Elements

##### GHS-US labeling

**Signal word (GHS-US):** Warning

**Hazard statements (GHS-US):** May form combustible dust concentrations in air

##### Other Hazards

Inhalation may aggravate those with pre-existing conditions including: skin, eye, and respiratory conditions.

##### Unknown acute toxicity (GHS US)

Not available



# CANADA MALTING CO. LTD

3316 Bonnybrook Rd SE, Calgary, AB T2G 4M9  
Phone: 403-571-7000 Fax: 403-571-7070  
[www.canadamalting.com](http://www.canadamalting.com)

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### Substance

Name: Grains and Malted Grains. Full text of H-phrases: see section 16

Name	Product Identifier	% (w/w)	GHS-US classification
Barley Malt	RR-04853-3	100	Comp. Dust
Grain, Dust	RR-00014-6	100	Comp. Dust

## SECTION 4: FIRST AID MEASURES

### Description of First Aid Measures

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** When symptoms occur, go into open air and ventilate suspected area.

**Skin Contact:** Rinse with plenty of water.

**Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**Ingestion:** Rinse mouth. Do NOT induce vomiting.

### Most Important Symptoms and Effects Both Acute and Delayed

**General:** Not expected to present a significant hazard under anticipated conditions of normal use.

**Inhalation:** Prolonged inhalation of dust may cause respiratory irritation.

**Skin Contact:** Dust may cause irritation in skin folds or by contact in combination with tight clothing.

**Eye Contact:** Dust from this product may cause minor mechanical eye irritation.

**Ingestion:** None under normal use.

**Chronic symptoms:** May cause obstructive pulmonary disease, chronic bronchitis, asthma, and grain fever after long exposures. May cause respiratory sensitization and other respiratory problems in some individuals.

### Indication of Any Immediate Medical Attention and Special Treatment Needed

If you feel unwell, seek medical advice (show the label where possible).

## SECTION 5: FIREFIGHTING MEASURES

### Extinguishing Media

**Suitable extinguishing media:** Foam. Dry powder. Carbon dioxide. Water spray. Sand.

**Unsuitable extinguishing media:** Do not use a heavy water stream. Use of heavy water stream may spread fire.

### Special Hazards Arising from the Substance or Mixture

**Fire hazard:** Combustible Dust. Dust explosion hazard in air. Supports combustion at high temperatures. Under conditions of fire this material may produce: Carbon dioxide and/or Carbon monoxide.

**Explosion hazard:** Avoid dust clouds in combination with static electricity. Dust clouds can be explosive.

**Reactivity:** Stable at ambient temperature and under normal conditions of use.

### Advice for Firefighters

**Precautionary measures fire:** Not available

**Firefighting instructions:** Exercise caution when fighting any chemical fire. Do not allow run-off from firefighting to enter drains or water courses.

**Protection during firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

**General measures:** Avoid generating dust. Handle in accordance with good industrial hygiene and safety practice. Good housekeeping is needed during storage, transfer, handling, and use of this material to avoid excessive dust accumulation.

### For Non-Emergency Personnel

**Protective equipment:** Use appropriate personal protection equipment (PPE).



# CANADA MALTING CO. LTD

3316 Bonnybrook Rd SE, Calgary, AB T2G 4M9  
Phone: 403-571-7000 Fax: 403-571-7070  
[www.canadamalting.com](http://www.canadamalting.com)

**Emergency procedures:** Evacuate unnecessary personnel.

**For Emergency Personnel**

**Protective equipment:** Equip cleanup crew with proper protection.

**Emergency procedures:** Ventilate area.

**Environmental Precautions**

Prevent entry to sewers and public waters.

## SECTION 7: HANDLING AND STORAGE

**Precautions for Safe Handling**

**Precautions for safe handling:** Take precautionary measures against static discharge.

**Hygiene measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work

**Conditions for Safe Storage, Including Any Incompatibilities**

**Storage conditions:** Keep only in the original container in a cool, well ventilated place away from: Direct sunlight, heat sources, and ignition sources. Keep container closed when not in use. Protect from moisture.

**Incompatible materials:** Strong acids. Strong bases. Strong oxidizers

**Specific End Use(s):** Ingredient.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**Control Parameters**

Grain dust (oat, wheat, barley) (RR-00014-6)		
USA ACGIH	ACGIH TWA	4 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA)	10 mg/m <sup>3</sup>
United Kingdom HSE	PEL (TWA)	10 mg/m <sup>3</sup>
Canada COHSR	PEL (TWA)	10 mg/m <sup>3</sup>

**Exposure Controls**

**Appropriate engineering controls:** Provide adequate ventilation to minimize dust concentrations. Ensure all national/local regulations are observed. Proper grounding procedures to avoid static electricity should be followed.

**Personal protective equipment:** Dust formation: dust mask. Gloves. Protective goggles



**Materials for protective clothing:** Not available

**Eye protection:** Chemical goggles or safety glasses.

**Skin and body protection:** Not available

**Respiratory protection:** Use NIOSH-approved air-purifying or supplied-air respirator where airborne concentrations of dust are expected to exceed exposure limits.

**Other information:** When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**Information on Basic Physical and Chemical Properties**

Physical state	Solid
Appearance	Dust, brown to black
Odour	Mild Bean-like
Odour threshold	Not available
pH	Not available



# CANADA MALTING CO. LTD

3316 Bonnybrook Rd SE, Calgary, AB T2G 4M9  
Phone: 403-571-7000 Fax: 403-571-7070  
[www.canadamalting.com](http://www.canadamalting.com)

Relative evaporation rate (butylacetate=1)	Not available
Melting point	Not available
Freezing point	Not available
Boiling point	Not available
Flash point	Not available
Auto-ignition temperature	Not available
Decomposition Temperature	Not available
Flammability (solid, gas)	Not available
Lower flammable limit	Not available
Upper flammable limit	Not available
Vapour Pressure	Not available
Relative vapour density at 20 oC	Not available
Relative Density	Not available
Specific gravity density	Not available
Solubility	Not available
Log Pow	Not available
Log Kow	Not available
Viscosity, kinematic	Not available
Viscosity, dynamic	Not available
Explosion data – sensitivity to mechanical impact	Not available
Explosion data – sensitivity to static discharge	Not available

## SECTION 10: STABILITY AND REACTIVITY

**Reactivity:** Stable at ambient temperature and under normal conditions of use.

**Chemical Stability:** Stable under normal conditions.

**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

**Conditions to Avoid:** Direct sunlight. Extremely high or low temperatures. Protect from moisture. Use good housekeeping practices during storage, transfer, and handling, to avoid excessive dust accumulation.

**Incompatible Materials:** Strong acids. Strong bases. Strong oxidizers.

**Hazardous Decomposition Products:** Carbon oxides (CO, CO<sub>2</sub>)

## SECTION 11: TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects -Product

**Acute toxicity:** Not classified

**LD50 and LC50 Data:** Not available

**Skin corrosion/irritation:** Not classified pH: 6-8 (0.5% Soln)

**Serious eye damage/irritation:** Not classified pH: 6-8 (0.5% Soln)

**Respiratory or skin sensitization:** Not classified

**Germ cell mutagenicity:** Not classified

**Teratogenicity:** Not available

**Carcinogenicity:** Not classified

**Specific target organ toxicity (repeated exposure):** Not classified

**Reproductive toxicity:** Not classified

**Specific target organ toxicity (single exposure):** Not classified

**Aspiration hazard:** Not classified

**Symptoms/injuries after inhalation:** Prolonged inhalation of dust may cause respiratory irritation.

**Symptoms/injuries after skin contact:** Dust may cause irritation in skin folds or by contact in combination with tight clothing.

**Symptoms/injuries after eye contact:** Dust from this product may cause minor eye irritation.

**Symptoms/injuries after ingestion:** None under normal use.



# CANADA MALTING CO. LTD

3316 Bonnybrook Rd SE, Calgary, AB T2G 4M9  
Phone: 403-571-7000 Fax: 403-571-7070  
[www.canadamalting.com](http://www.canadamalting.com)

## Information on Toxicological Effects -Ingredient(s)

LD50 and LC50 Data: Not available

## SECTION 12: ECOLOGICAL INFORMATION

**Toxicity:** Not available

### **Persistence and Degradability**

Barley Malt	
Persistence and degradability	Not established

### **Bioaccumulative Potential**

Barley Malt	
Bioaccumulative potential	Not established

**Mobility in Soil:** Not available

### **Other Adverse Effects**

**Other information:** Avoid release to the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste disposal recommendations:** Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

## SECTION 14: TRANSPORT INFORMATION

In accordance with ICAO/IATA/DOT/TDG

**UN Number:** Not classified as hazardous

**UN Proper Shipping Name:** Not classified as hazardous

**Additional information:** Not classified as hazardous

**Overland transport:** Not classified as hazardous

**Transport by sea:** Not classified as hazardous

**Air transport:** Not classified as hazardous

## SECTION 15: REGULATORY INFORMATION

### **US Federal regulations**

This product or its components are not listed on any US federal regulatory lists

### **US State regulations**

Grain dust (oat, wheat, barley) (RR-00014-6)	
<b>State or local regulations</b>	U.S. -Massachusetts -Right To Know List U.S. -Minnesota -Hazardous Substance List U.S. -New Hampshire -Regulated Toxic Air Pollutants -Ambient Air Levels (AALs) -24-Hour U.S. -New Hampshire -Regulated Toxic Air Pollutants -Ambient Air Levels (AALs) -Annual U.S. -Pennsylvania -RTK (Right to Know) List U.S. -Texas -Effects Screening Levels -Long Term U.S. -Texas -Effects Screening Levels -Short Term

### **Canada Federal regulations**

This product or its components are not included on any Canadian regulatory lists.



# CANADA MALTING CO. LTD

3316 Bonnybrook Rd SE, Calgary, AB T2G 4M9  
Phone: 403-571-7000 Fax: 403-571-7070  
[www.canadamalting.com](http://www.canadamalting.com)

## SECTION 16: OTHER INFORMATION

**Data sources** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

### GHS Full Text Phrases:

Comb. Dust	Combustible Dust
------------	------------------

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*